



Eso**ph**or D

Complete Reflux Control

Esomeprazole 40mg + Domperidone 30mg



When Acidity Meets Motility Issues

GERD & Dyspepsia are rarely just about acid. Patients often suffer from a dual burden:



Hyperacidity

Burning sensation, damage to the esophagus.



Poor Motility

Nausea, bloating, and a relaxed sphincter allowing acid to rise.

Monotherapy often isn't enough to break this cycle.

Introducing Esophor D

The Dual-Action Defender



Esophor D combines the most effective PPI with a trusted prokinetic to provide comprehensive relief.

Esomeprazole 40mg



Superior Acid Suppression


Domperidone 30mg



Restores Motility & Prevents Nausea

Esophor D

How It Works: Synergistic Action



Stops the Acid

Esomeprazole irreversibly blocks the Proton Pumps (H^+/K^+ ATPase) in the stomach lining, significantly reducing acid volume.



Clears the Path


Domperidone speeds up gastric emptying, ensuring food and acid don't linger in the stomach to cause discomfort.



Locks the Gate

Domperidone increases the tone of the Lower Esophageal Sphincter (LES), physically preventing acid from refluxing upwards.


Esomeprazole: The Superior PPI




Better Acid Control

Esomeprazole provides significantly higher rates of healing for erosive esophagitis compared to other PPIs like Omeprazole.

- ✓ **Isomer Advantage:** Pure S-isomer ensures better metabolic stability.
- ✓ **Longer Duration:** Maintains $\text{pH} > 4$ for a longer period over 24 hours.




Domperidone: The Motility Master



More Than Just Anti-Nausea

While effective against nausea, Domperidone's key role in GERD is mechanical.

- ⚡ **Prokinetic Action:** Moving contents downstream prevents bloating.
- 🛡 **Anti-Reflux:** By tightening the LES, it acts as a functional barrier against rising acid.





Indications for Use



GERD

Gastroesophageal Reflux Disease
not responding to PPI alone.



Dyspepsia


Functional dyspepsia with
symptoms of bloating and fullness.



Nausea & Vomiting

Associated with hyperacidity or
gastric motility disorders.

Dosage & Administration



Patient Profile	Recommended Dose	Timing
Adults (GERD/Dyspepsia)	1 Capsule Daily	1 Hour Before Breakfast
Duration	As prescribed by the physician (Typically short-term use due to Domperidone)	

*Swallow whole. Do not chew or crush. Best taken on an empty stomach for optimal absorption.

Why Prescribe Esophor D?

The complete answer to complex reflux symptoms.



Faster Relief:

Addresses symptoms from two angles simultaneously.



Better Compliance:

Once-daily convenient dosage.



Patient Satisfaction:

Resolves the bloating and fullness that PPIs alone might miss.

The complete answer to complex reflux symptoms.



Thank You

Esophor D: Restoring Digestive Harmony

iStock
Credit: Zinklevych